

Adhesive Rolls



Product Code:

The quality and performance of the adhesive rolls in any [elastomer based web cleaning system](#) is vital to achieve the best levels of contamination removal.

Meech adhesive rolls are manufactured from a moisture stabilised paper base with a release coating to ensure easy unwinding. The paper is coated with an adhesive coating which is specially formulated to work effectively with TransTak elastomer rollers. Meech adhesive rollers have a high adhesive mass, the result of which is longer and more effective cleaning.

Meech adhesive rolls are a continuous roll of 22.4 metres of material with perforations in set positions along the length. The positioning of the perforations gives 70 easily removable (tear off) sections.

Product Data Sheet

Published Date: 20.08.2020



Features & Benefits

A knife is not required to cut the material

Improved operator safety and no risk of damage to the elastomer rollers.

✂ No wasted adhesive material

The operator only removes a pre-specified length of adhesive roll material.

Product shown in this document may be covered by one or more patents, patents applied for and/or registered designs and/or trade marks. For further information please refer to our Head Office or visit www.meech.com.

Meech International

UK: +44 1993 706 700
Hungary: +36 27 535 075

US: +1 330 564 2000
China: +86 400 820 0102

Belgium: +32 8067 0204
India: +91 (0)7030938211

Singapore: +65 65918859

email: sales@meech.com
web: www.meech.com

© Meech Static Eliminators Ltd 2020

Product Data Sheet

Published Date: 20.08.2020



Technical Characteristics

Material	Paper
Coatweight	High; accurately controlled
Core size	76mm / 3"
Core material	High impact polystyrene
Perforations	Roll is perforated into 70 removable sections
Total material length	22.4 meters per roll
Available widths	Any roll width up to 1500mm

Product shown in this document may be covered by one or more patents, patents applied for and/or registered designs and/or trade marks. For further information please refer to our Head Office or visit www.meech.com.

Meech International

UK: +44 1993 706 700
Hungary: +36 27 535 075

US: +1 330 564 2000
China: +86 400 820 0102


Belgium: +32 8067 0204
India: +91 (0)7030938211

Singapore: +65 65918859

email: sales@meech.com
web: www.meech.com

Product Data Sheet

Published Date: 20.08.2020



Product shown in this document may be covered by one or more patents, patents applied for and/or registered designs and/or trade marks. For further information please refer to our Head Office or visit www.meech.com.

Meech International UK: +44 1993 706 700 US: +1 330 564 2000 Belgium: +32 8067 0204 Singapore: +65 65918859 email: sales@meech.com
 Hungary: +36 27 535 075 China: +86 400 820 0102 India: +91 (0)7030938211 web: www.meech.com